

Locker

Electronic lock for cabinets



RFID/BLEETOOTH® ELECTRONIC LOCK FOR CABINETS AND LOCKERS



For office, gym, swimming pool


Locker can be installed on a wide range of cabinets and lockers in order to keep people's property safe while they're in the office, the gym, swimming pool, or any other situation where personal belongings need to be temporarily safeguarded.

Automatic locking

By closing the door of the cabinet, Locker will automatically lock. Locker is battery powered allowing easy installation in new lockers or retrofit in existing lockers currently operated by keys.

Product features

- Automatic locking just pulling the door ajar
- Battery-operated device with charge status detection
- Wake up by RFID card detection or phone (patented)
- Low energy consumption device
- Real Time Clock/Calendar
- Four-eye principle (two valid credentials must be presented in sequence to open the lock)
- Anti check back function
- Light and acoustic signals
- Permanently open mode (office mode) without extra battery consumption
- Software upgradeable on-site via Bluetooth® phone (Stand Alone)



DIMENSIONS

External dimensions:

- Width: 39mm

- Height: 86mm

Internal dimensions:

- Width: 40mm

- Height: 130mm

MATERIAL

Technopolymer

COLOUR

Anthracite

cod. **1EL10152**

ACCESS CREDENTIALS

- Badge
- Keyfob
- Bracelet
- Smartphone

COMMUNICATION INTERFACE

- RFID ISO14443B/MIFARE ISO14443A
- Bluetooth® Low Energy 5.1

Technical features

FIRMWARE

1RIS

RELEASE

2.0

POWER UNIT

2 lithium batteries 3.6V type AA

ESTIMATED BATTERY LIFE

Up to 2 years, up to 20.000 opening. The figure is dependent on the mode and environment of use and the options activated.

ALERTS

- LEDs: 1 Green, 1 Red
- Multi-frequency buzzer

PRODUCT COMPATIBILITY

Locker can be installed on a wide range of cabinets and lockers in order to protect users' belongings while they are in office, gym, swimming pool or in every similar situation

where people need to deposit personal items in a secure place.

MOUNTING

- On door

ENVIRONMENTAL FEATURES

- IP20

WORKING TEMPERATURE

-20°C ÷ +60°C

STORAGE TEMPERATURE

-25°C ÷ +75°C

PACKAGE

1 RFID reader, 2 batteries, lock with pin latch, fixing screws, instruction manual

ACCESSORIES (NOT INCLUDED)

Battery (58200000E0360)

Accessori for elettric emergency (0000IS00253)

Compatibility with ISEO applications

ARGO	LUCKEY	LSA	V364
-	•	•	•